

MINI EXCAVATORS

MX-611 [Mini Excavator]
Engine: Cummins / Kubota / KOOP | Bucket: 0.03 m³ | Max Dig Depth: 6.6 ft

DIGGING		DIMENSIONS	
Max Dig Depth	6.6 ft (2,015 mm)	Machine Weight	N/A
Max Dig Height	11.1 ft (3,381 mm)	Overall Length	11.4 ft (3,488 mm)
Max Dump Height	7.4 ft (2,242 mm)	Overall Width	3.2 ft (990 mm)
Max Dig Radius	12.2 ft (3,711 mm)	Overall Height	7.4 ft (2,263 mm)
PERFORMANCE		Track / Tire Width	180 mm
Swing	360°	Max Grade	35°

MX-709 [Mini Excavator]
Engine: Cummins / Kubota / KOOP | Bucket: 0.04 m³ | Max Dig Depth: 7.2 ft

DIGGING		DIMENSIONS	
Max Dig Depth	7.2 ft (2,200 mm)	Machine Weight	3,086 lbs (1,400 kg)
Max Dig Height	9.5 ft (2,900 mm)	Overall Length	7.4 ft (2,250 mm)
Max Dump Height	5.8 ft (1,780 mm)	Overall Width	3.6 ft (1,100 mm)
Max Dig Radius	11.5 ft (3,500 mm)	Overall Height	7.2 ft (2,200 mm)
PERFORMANCE		Track / Tire Width	230 mm
Swing	360°	Max Grade	N/A

MX-711 [Mini Excavator]
Engine: Cummins / Kubota / KOOP | Bucket: 0.06 m³ | Max Dig Depth: 6.7 ft

DIGGING		DIMENSIONS	
Max Dig Depth	6.7 ft (2,050 mm)	Machine Weight	N/A
Max Dig Height	11.0 ft (3,365 mm)	Overall Length	11.8 ft (3,600 mm)
Max Dump Height	7.8 ft (2,385 mm)	Overall Width	3.6 ft (1,100 mm)
Max Dig Radius	12.7 ft (3,860 mm)	Overall Height	7.2 ft (2,200 mm)
PERFORMANCE		Track / Tire Width	230 mm
Swing	360°	Max Grade	N/A

MX-911

[Mini Excavator]

Engine: Cummins / Kubota / KOOP | Bucket: 0.07 m³ | Max Dig Depth: 9.0 ft

DIGGING		DIMENSIONS	
Max Dig Depth	9.0 ft (2,752 mm)	Machine Weight	N/A
Max Dig Height	11.2 ft (3,427 mm)	Overall Length	13.0 ft (3,966 mm)
Max Dump Height	N/A	Overall Width	3.5 ft (1,060 mm)
Max Dig Radius	N/A	Overall Height	7.5 ft (2,280 mm)
PERFORMANCE		Track / Tire Width	230 mm
Swing	360°	Max Grade	30°

MX-712

[Mini Excavator]

Engine: Cummins / Kubota / Yanmar | Bucket: 0.08 m³ | Max Dig Depth: 7.4 ft

DIGGING		DIMENSIONS	
Max Dig Depth	7.4 ft (2,250 mm)	Machine Weight	N/A
Max Dig Height	12.2 ft (3,710 mm)	Overall Length	13.4 ft (4,080 mm)
Max Dump Height	8.1 ft (2,480 mm)	Overall Width	4.4 ft (1,350 mm)
Max Dig Radius	13.2 ft (4,020 mm)	Overall Height	7.2 ft (2,200 mm)
PERFORMANCE		Track / Tire Width	230 mm
Swing	360°	Max Grade	30°

MX-812

[Mini Excavator]

Engine: Cummins / Kubota / Yanmar | Bucket: 0.1 m³ | Max Dig Depth: 8.2 ft

DIGGING		DIMENSIONS	
Max Dig Depth	8.2 ft (2,500 mm)	Machine Weight	N/A
Max Dig Height	12.8 ft (3,900 mm)	Overall Length	13.7 ft (4,180 mm)
Max Dump Height	8.5 ft (2,600 mm)	Overall Width	4.4 ft (1,350 mm)
Max Dig Radius	13.3 ft (4,040 mm)	Overall Height	7.2 ft (2,200 mm)
PERFORMANCE		Track / Tire Width	230 mm
Swing	360°	Max Grade	30°

MX-914

[Mini Excavator]

Engine: N/A | Bucket: N/A | Max Dig Depth: 9.3 ft

DIGGING		DIMENSIONS	
Max Dig Depth	9.3 ft (2,830 mm)	Machine Weight	N/A
Max Dig Height	14.5 ft (4,427 mm)	Overall Length	13.8 ft (4,195 mm)
Max Dump Height	9.9 ft (3,005 mm)	Overall Width	5.1 ft (1,550 mm)
Max Dig Radius	15.9 ft (4,835 mm)	Overall Height	8.1 ft (2,480 mm)
PERFORMANCE		Track / Tire Width	300 mm
Swing	360°	Max Grade	N/A

MX-1015

[Mini Excavator]

Engine: Kubota | Bucket: N/A | Max Dig Depth: 10.5 ft

DIGGING		DIMENSIONS	
Max Dig Depth	10.5 ft (3,208 mm)	Machine Weight	N/A
Max Dig Height	15.7 ft (4,800 mm)	Overall Length	16.1 ft (4,915 mm)
Max Dump Height	11.2 ft (3,406 mm)	Overall Width	5.6 ft (1,720 mm)
Max Dig Radius	18.0 ft (5,480 mm)	Overall Height	8.3 ft (2,525 mm)
PERFORMANCE		Track / Tire Width	300 mm
Swing	360°	Max Grade	N/A

CRAWLER EXCAVATORS

EX-1319 [Crawler Excavator]
Engine: Kubota V2607 43kW / 58hp | Bucket: 0.21 m³ | Max Dig Depth: 13.6 ft

DIGGING		DIMENSIONS	
Max Dig Depth	13.6 ft (4,158 mm)	Machine Weight	12,566 lbs (5,700 kg)
Max Dig Height	19.5 ft (5,928 mm)	Overall Length	19.0 ft (5,802 mm)
Max Dump Height	13.9 ft (4,228 mm)	Overall Width	6.4 ft (1,960 mm)
Max Dig Radius	20.2 ft (6,162 mm)	Overall Height	7.9 ft (2,420 mm)
PERFORMANCE		Track / Tire Width	400 mm
Swing	360°	Max Grade	35°

EX-1016 [Crawler Excavator]
Engine: Yanmar / Kubota | Bucket: 0.23 m³ | Max Dig Depth: 10.1 ft

DIGGING		DIMENSIONS	
Max Dig Depth	10.1 ft (3,071 mm)	Machine Weight	14,330 lbs (6,500 kg)
Max Dig Height	16.9 ft (5,157 mm)	Overall Length	19.1 ft (5,834 mm)
Max Dump Height	12.1 ft (3,692 mm)	Overall Width	6.6 ft (2,000 mm)
Max Dig Radius	17.2 ft (5,251 mm)	Overall Height	8.4 ft (2,570 mm)
PERFORMANCE		Track / Tire Width	N/A
Swing	360°	Max Grade	N/A

EX-1223 [Crawler Excavator]
Engine: Yanmar 4TNV94L 36.2kW / 49hp | Bucket: 0.28 m³ | Max Dig Depth: 12.8 ft

DIGGING		DIMENSIONS	
Max Dig Depth	12.8 ft (3,898 mm)	Machine Weight	16,535 lbs (7,500 kg)
Max Dig Height	23.0 ft (7,023 mm)	Overall Length	19.9 ft (6,054 mm)
Max Dump Height	17.0 ft (5,195 mm)	Overall Width	7.3 ft (2,216 mm)
Max Dig Radius	20.3 ft (6,182 mm)	Overall Height	8.8 ft (2,672 mm)
PERFORMANCE		Track / Tire Width	450 mm
Swing	360°	Max Grade	35°

EX-1323

[Crawler Excavator]

Engine: Cummins QSF2.8 53kW / 72hp | Bucket: 0.4 m³ | Max Dig Depth: 13.2 ft

DIGGING		DIMENSIONS	
Max Dig Depth	13.2 ft (4,015 mm)	Machine Weight	19,842 lbs (9,000 kg)
Max Dig Height	23.1 ft (7,050 mm)	Overall Length	21.0 ft (6,410 mm)
Max Dump Height	17.0 ft (5,188 mm)	Overall Width	7.5 ft (2,278 mm)
Max Dig Radius	21.5 ft (6,540 mm)	Overall Height	8.6 ft (2,630 mm)
PERFORMANCE		Track / Tire Width	450 mm
Swing	360°	Max Grade	35°

EX-1628

[Crawler Excavator]

Engine: Cummins 93kW / 125hp | Bucket: 0.6 m³ | Max Dig Depth: 16.7 ft

DIGGING		DIMENSIONS	
Max Dig Depth	16.7 ft (5,095 mm)	Machine Weight	29,762 lbs (13,500 kg)
Max Dig Height	28.0 ft (8,540 mm)	Overall Length	25.1 ft (7,635 mm)
Max Dump Height	20.1 ft (6,125 mm)	Overall Width	8.2 ft (2,500 mm)
Max Dig Radius	26.2 ft (8,000 mm)	Overall Height	9.0 ft (2,750 mm)
PERFORMANCE		Track / Tire Width	500 mm
Swing	360°	Max Grade	30°

EX-1930

[Crawler Excavator]

Engine: Cummins 6BTAA5.9 133kW / 178hp | Bucket: 0.8 m³ | Max Dig Depth: 19.6 ft

DIGGING		DIMENSIONS	
Max Dig Depth	19.6 ft (5,975 mm)	Machine Weight	38,581 lbs (17,500 kg)
Max Dig Height	30.9 ft (9,430 mm)	Overall Length	28.0 ft (8,540 mm)
Max Dump Height	22.8 ft (6,960 mm)	Overall Width	8.9 ft (2,720 mm)
Max Dig Radius	N/A	Overall Height	9.6 ft (2,920 mm)
PERFORMANCE		Track / Tire Width	600 mm
Swing	360°	Max Grade	30°

EX-2130

[Crawler Excavator]

Engine: Cummins 129kW / 173hp | Bucket: 1.1 m³ | Max Dig Depth: 21.3 ft

DIGGING		DIMENSIONS	
Max Dig Depth	21.3 ft (6,480 mm)	Machine Weight	N/A
Max Dig Height	30.9 ft (9,410 mm)	Overall Length	31.5 ft (9,590 mm)
Max Dump Height	22.1 ft (6,730 mm)	Overall Width	9.8 ft (2,980 mm)
Max Dig Radius	32.3 ft (9,850 mm)	Overall Height	10.5 ft (3,185 mm)
PERFORMANCE		Track / Tire Width	N/A
Swing	360°	Max Grade	30°

EX-2234

[Crawler Excavator]

Engine: Cummins 6CTA8.3 194kW / 260hp | Bucket: 1.4 - 1.6 m³ | Max Dig Depth: 22.4 ft

DIGGING		DIMENSIONS	
Max Dig Depth	22.4 ft (6,815 mm)	Machine Weight	N/A
Max Dig Height	34.4 ft (10,497 mm)	Overall Length	36.0 ft (10,967 mm)
Max Dump Height	24.1 ft (7,359 mm)	Overall Width	10.5 ft (3,190 mm)
Max Dig Radius	35.7 ft (10,870 mm)	Overall Height	12.0 ft (3,664 mm)
PERFORMANCE		Track / Tire Width	600 mm
Swing	360°	Max Grade	N/A